*Carbohydrate Research*, 238 (1993) C1–C2
Elsevier Science Publishers B.V., Amsterdam



# AUTHOR INDEX

Alton, G. 339
Axelos, M.A.V. 271

Baer, H.H. 215
Basora, N. 1
Beaupere, D. 327
Beri, R.G. 11
Brade, H. 93
Brade, L. 93
Brazier, M. 327
Brimacombe, J.S. 313, 317
Brisson, J.-R. 49
Buchholz, K. 307

Čadová, E. 321
Čapek, K. 321
Cerezo, A.S. 241
Chittenden, G.J.F. 185
Chornet, E. 1
Ciancia, M. 241
Crépeau, M.-J. 271

Demailly, G. 327

Eyrisch, O. 287

Fessner, W.-D. 287
Finch, P. 241
Fujita, K. 75
Fukase, K. 93

Gonsho, A. 163

Hara, K. 75
Hindsgaul, O. 339

Irie, K. 163
Ito, Y. 163
Iwasawa, H. 163

Jann, B. 261, 335
Jann, K. 261, 335

Kamerling, J.P. 135
Kanie, Y. 339
Kerékgyártó, J. 135
Kitahata, S. 75
Kogan, G. 261, 335
Koizumi, K. 75
Köll, P. 313, 317
Kondo, T. 231
Kopf, J. 313, 317
Kosma, P. 93
Kotani, K. 109, 193
Koyama, Y. 147
Kusumoto, S. 93
Kuwahara, N. 75

Lieker, H.-P. 307
Lipták, A. 135

März, L. 93
Matulewicz, M.C. 241
Meyer, B. 49
Morf, M. 313, 317

Niola, F. 1
Nogusa, H. 163

Oguma, T. 193

Peters, T. 49

Raaijmakers, H.W.C. 185
Reese, E.T. 11
Reilly, P.J. 307
Renard, C.M.G.C. 271
Rochas, C. 27
Roger, P. 271
Rollings, J.E. 11
Roos, Y. 39

Saito, K. 109, 193
Sedmera, P. 321
Shashkov, A.S. 261
Shibukawa, M. 163
Sinerius, G. 287

Somorjai, R. 49
Stephen, A.M. 249
Strobl, M. 93
Stuike-Prill, R. 49
Sugawara, T. 163
Susaki, H. 163

Tanimoto, T. 75
Taravel, F.-R. 27
Thibault, J.-F. 271
Thielecke, K. 307
Tobe, K. 193
Tokutake, S. 109, 193
Tsuchiya, T. 147
Turquois, T. 27

Uchida, R. 109
Umemura, E. 147
Umezawa, S. 147
Uzan, R. 327

Van der Ven, J.G.M. 135
Vidal, P.F. 1
Vliegenthart, J.F.G. 135
Vogt, D.C. 249

Wadouachi, A. 327
Walker, J. 11
Wu, X. 215

Yamaji, N. 109, 193

Zimmer, B. 313, 317
Zwanenburg, B. 185

*Carbohydrate Research*, 238 (1993) C3–C6
Elsevier Science Publishers B.V., Amsterdam



# SUBJECT INDEX

*N*-Acetylation, determination of chitin–chitosan samples of the degree of, 1
α-*N*-Acetylneuraminic acid, structure of the polysaccharide component of the O56 antigen of *Escherichia coli* which contains 7-substituted, 261
Acceptor for *N*-acetylglucosaminyltransferase-III, use of a synthetic dideoxygenated pentasaccharide as a specific, 339
2,3-Anhydro-4,6-*O*-benzylidene-α-D-allopyranoside, an alternative synthesis of methyl, using carbonate esters, 185
1,3-Anhydro-β-D-*xylo*-hexulofuranoside, α-D-glucopyranosyl, an intermediate in the alkaline hydrolysis of α-D-glucopyranosyl 3,4-anhydro-β-D-*lyxo*-hexulofuranoside, 321
6-*O*-Alkylcelluloses, preparation, 231
Alkaline hydrolysis of α-D-glucopyranosyl 3,4-anhydro-β-D-*lyxo*-hexulofuranoside, formation of α-D-glucopyranosyl 1,3-anhydro-β-D-*xylo*-hexulofuranoside as an intermediate in the, 321
Amylase, synthesis of modified 2-chloro-4-nitrophenyl β-maltopentaosides as useful substrates for assay of human alpha, 109
Amylases, syntheses of subtractively modified 2-chloro-4-nitrophenyl β-maltopentaosides, and their application to the differential assay of human, alpha-, 193
Antigen of *Escherichia coli*, structure of the neuraminic acid-containing O24 polysaccharide, 335
Antigen of *Escherichia coli*, structure of the O56 polysaccharide that contains 7-substituted α-*N*-acetylneuraminic acid, 261

Building block that is part of xylose-containing carbohydrate chains from N-glycoproteins, synthesis of a selectively protected trisaccharide, 135

Carbonate esters, an alternative synthesis of methyl 2,3-anhydro-4,6-*O*-benzylidene-α-D-allopyranoside using, 185
Carrageenans from *Gigartina skottsbergii*, determination of the structures of cystocarpic, by methylation analysis and NMR spectroscopy, 241
Celluloses, 6-*O*-alkyl (ethyl, methyl), preparation, 231
Chitin, determination of the degree of *N*-acetylation of, 1
Chitosan, determination of the degree of *N*-acetylation of, 1
Chitosan via coupled size-exclusion chromatography and multiple-angle laser light-scattering technique, characterization of, 16
Conformational analysis of saccharides using a Monte Carlo method, 49
Copolymers of poly(acrylamide) and modified Kdo residues, synthesis and immunoreactivity of, 93
Crystal and molecular structure of deca-*O*-acetyl-L-*galacto*-L-*gulo*-decitol, 313
Crystal and molecular structure of octa-*O*-acetyl-L-*threo*-D-*galacto*-octitol, 317
Cyclomalto-oligosaccharides having β-D-galactosyl residue(s) on the side chain, preparation, isolation, and characterization of novel heterogeneous branched, 75

Decitol, crystal and molecular structure of deca-*O*-acetyl-L-*galacto*-L-*gulo*-, 313
Dideoxygenated pentasaccharide as a specific acceptor for *N*-acetylglucosaminyltransferase-III, use of a synthetic, 339

*Encephalartos longifolius*, further hydrolytic studies of the gum exudate of, 249
Enzymic *de novo* synthesis of D-tagatose 1,6-bisphosphate, 287

Fluoro- and 5-deoxy-5,5-difluoro-netilmicin, synthesis of 5- deoxy-5-, 147

Galacturonic regions in pectins, studies by acid hydrolysis of the length of homo-, 271

α-D-Glucopyranosyl 1,3-anhydro-β-D-*xylo*-hexulofuranoside, an intermediate in the alkaline hydrolysis of α-D-glucopyranosyl 3,4-anhydro-β-D-*lyxo*-hexulofuranoside, 321
D-Glucose derivatives, esterification of, by oxolinic acid, 327
Glycopyranosides and of their conjugates with poly(L-glutamic acid) having a 2-(4-hydroxyphenyl)ethylamino group for radiolabeling, synthesis of 8-aminoctyl, 163
Gum exudate of *Encephalartos longifolius*, further hydrolytic studies, 249

High-performance anion-exchange chromatography of saturated and unsaturated oligogalacturonic acids, 307
Homogalacturonic regions in pectins, studies of the length by acid hydrolysis, 271
Hydrolytic studies of the gum exudate of *Encephalartos longifolius*, further, 249

Kdo residues, modified, synthesis and immunoreactivity of poly(acrylamide) copolymers containing, 93

Light-scattering technique, characterization of chitosan via coupled size-exclusion chromatography and multiple-angle laser, 16
Low molecular weight carbohydrates, melting and glass transitions of, 39

β-Maltopentaosides as useful substrates for assay of human alpha amylase, synthesis of modified 2-chloro-4-nitrophenyl, 109
β-Maltopentaosides, syntheses of subtractively modified 2-chloro-4-nitrophenyl, and their application to the differential assay of human alpha-amylases, 193
Melting and glass transitions of low molecular weight carbohydrates, 39
Methyl 2,3-anhydro-4,6-*O*-benzylidene-α-D-allopyranoside, an alternative synthesis of methyl, using carbonate esters, 185
Methylation analysis and NMR spectroscopy, determination of the structures of cystocarpic carrageenans from *Gigartina skottsbergii* by, 241
Molecular and crystal structure of deca-*O*-acetyl-L-*galacto*-L-*gulo*-decitol, 313
Molecular and crystal structure of octa-*O*-acetyl-L-*threo*-D-*galacto*-octitol, 317
Monte Carlo method for conformational analysis of saccharides, 49

Netilmicin, synthesis of 5-deoxy-5-fluoro- and 5-deoxy-5,5- difluoro-, 147
Neuraminic acid-containing polysaccharide, structure of the O24 antigen of *Escherichia coli*, 335
NMR and rheological studies of the agarose-carob galactomannan blend, 27
NMR spectroscopy and methylation analysis, determination of the structures of cystocarpic carrageenans from *Gigartina skottsbergii* by, 241

Octitol, crystal and molecular structure of octa-*O*-acetyl-L-*threo*-D-*galacto*-, 317
Oligogalacturonic acids, saturated and unsaturated, high-performance anion-exchange chromatography of, 307
Oxolinic acid, esterification of D-glucose derivatives by, 327

Palmitic acid, 2,3- and 2,3′-diesters with α,α-trehalose, synthesis, 215
Pectins, studies of the length of homogalacturonic regions by acid hydrolysis, 271
Poly(acrylamide) copolymers containing modified Kdo residues, 93
Poly(L-glutamic acid) having a 2-(4-hydroxyphenyl)ethylamino group for radiolabeling, synthesis of 8-aminoctyl glycopyranosides and of their conjugates with, 163
Polysaccharide containing neuraminic acid, structure of the O24 antigen of *Escherichia coli*, 335
Polysaccharide containing 7-substituted α-*N*-acetylneuraminic acid, a component of the O56 antigen of *Escherichia coli*, 261

Size-exclusion chromatography and multiple-angle laser light-scattering technique, characterization of chitosan via coupled, 16
Stearic acid, 2,3- and 2,3′-diesters with α,α-trehalose, synthesis, 215
Subtractively modified 2-chloro-4-nitrophenyl β-maltopentaosides and their application to the differential assay of human alpha-amylases, syntheses of, 193
Synergy of the agarose carob galactomannan blend, 27
Synthesis of 8-aminoctyl glycopyranosides and of their conjugates with poly(L-glutamic acid) having a 2-(4-hydroxyphenyl)ethylamino group for radiolabeling, 163
Synthesis of 5-deoxy-5-fluoro- and 5-deoxy-5,5-difluoro-netilmicin, 147
Synthesis of modified 2-chloro-4-nitrophenyl β-maltopentaosides as useful substrates for assay of human alpha amylase, 109

D-Tagatose 1,6-bisphosphate, facile enzymic *de novo* synthesis and NMR spectroscopic characterization, 287
Transitions of low molecular weight carbohydrates, melting and glass, 39
$\alpha,\alpha$-Trehalose 2,3- and 2,3′-diesters with palmitic and stearic acid: potential immunoreactants for the serodiagnosis of tuberculosis, synthesis of, 215
Trisaccharides building block that is part of xylose-containing carbohydrate chains from N-glycoproteins, synthesis of a selectively protected, 135
Tuberculosis, potential immunoreactants for the serodiagnosis of, 215

Xylose-containing carbohydrate chains from N-glycoproteins, synthesis of a selectively protected trisaccharide building block that is part of, 135